

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/846,841	04/30/2001	Carl M. Panasik	TI-32958	4986
23494 7	7590 06/17/2004		EXAMINER	
	TRUMENTS INCORPOR	LE, NH	LE, NHAN T	
	OX 655474, M/S 3999 AS, TX 75265		ART UNIT	PAPER NUMBER
,			2685	7
			DATE MAILED: 06/17/2004	,

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	09/846,841	PANASIK ET AL.
Office Action Summary	Examiner	Art Unit
	Nhan T Le	2685
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	vith the correspondence address
A SHORTENED STATUTORY PERIOD FOR RETHE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication of the period for reply specified above is less than thirty (30) days, and if NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by significantly approximately services and patent term adjustment. See 37 CFR 1.704(b).	ON. R 1.136(a). In no event, however, may a n. a reply within the statutory minimum of thi eriod will apply and will expire SIX (6) MO tatute, cause the application to become A	reply be timely filed  irty (30) days will be considered timely.  NTHS from the mailing date of this communication.  BANDONED (35 U.S.C. § 133).
Status		
1)⊠ Responsive to communication(s) filed on 3 2a)□ This action is FINAL. 2b)⊠ 3)□ Since this application is in condition for all closed in accordance with the practice und	This action is non-final.  Dwance except for formal materials	
Disposition of Claims		
4) ⊠ Claim(s) 1-34 is/are pending in the applica 4a) Of the above claim(s) is/are with 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-34 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction are	drawn from consideration.	
Application Papers		
9)☐ The specification is objected to by the Exam 10)☒ The drawing(s) filed on 10 July 2001 is/are: Applicant may not request that any objection to Replacement drawing sheet(s) including the co 11)☐ The oath or declaration is objected to by the	: a) ☐ accepted or b) ☒ obje the drawing(s) be held in abeya rrection is required if the drawing	nce. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119	•	
12) Acknowledgment is made of a claim for force a) All b) Some * c) None of:  1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the application from the International Bu * See the attached detailed Office action for a	nents have been received. nents have been received in a priority documents have been reau (PCT Rule 17.2(a)).	Application No n received in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)		Summary (PTO-413)
<ol> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SE Paper No(s)/Mail Date <u>5</u>.</li> </ol>	,	(s)/Mail Date Informal Patent Application (PTO-152) 

Art Unit: 2685

#### **DETAILED ACTION**

## Drawings

The drawings are objected to because Comparator #16 in Fig 2 is mislabeled. Comparator #16 should be changed to #24 as disclosed in the specification. A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

## Claim Objections

Claim 10 is objected to because of the following informalities: Claim 10 discloses the wireless user terminal of claim 10. Claim 10 should be changed to the wireless user terminal of claim 8 since it discloses that the RF section further comprises a synthesizer coupled to the modulator and to the receiver. Appropriate correction is required.

### **Double Patenting**

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Application/Control Number: 09/846,841 Page 3

Art Unit: 2685

1. <u>Claims 1-32 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims of U.S. Patent No. 6,424,280 in view of Evans et al (US 6,476,745).</u>

As to claims 1, 20, Sadkowski teaches a signal clipping circuit for switched capacitor sigma delta analog to digital converters comprises a switch having a first lead coupled to an input and a second lead coupled to an analog-to-digital converter (ADC) (see col. 4, line 20), a second input coupled to receive a first reference voltage (Upper boundary, see col. 4, line 25), a third input coupled to receive a second reference voltage (Lower boundary, see col. 4, line 26) and a signal clipping circuit having a first input coupled to the first input of the switch an output coupled to the second lead of the switch (see col. 4, lines 21-23). However, Sadkowski fails to teach a wireless user terminal having radio frequency (RF) communication capability, comprising: a digital baseband; an RF section; an analog baseband coupling the digital baseband to the RF section. Evans teaches teach a wireless user terminal having radio frequency (RF) communication capability, comprising: a digital baseband (see fig. 7, number 110); an RF section (see fig. 7, number 104); an analog baseband coupling the digital baseband and to the RF section (see fig. 7, number 101). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Evans into the device of Sadkowski in order to modulate the voice signal in wireless telephone application.

Art Unit: 2685

As to claims 2, 21, the combination of Sadkowski and Evan discloses the wireless user terminal of claim 1 wherein the analog-to-digital converter is a sigma-delta analog-to-digital converter (see Sadkowski col. 4, lines 18-19).

As to claims 3, 22 the combination of Sadkowski and Evan discloses the wireless user terminal of claim 1 wherein the wireless user handset is a cellular handset (see Evans fig. 7, number 100).

As to claims 4, 23, the combination of Sadkowski and Evan discloses the wireless user terminal of claim 1 wherein the digital baseband further comprises: a digital signal processor (DSP) (see Evans fig. 7, number 110); a microcontroller unit (MCU) coupled to the DSP (see Evans fig. 7, number112); and an ASIC backplane coupled to the DSP and the MCU (see Evans fig. 7, number 113).

As to claims 5, 24, the combination of Sadkowski and Evan discloses the wireless user terminal of claim 1 wherein analog baseband comprises an audio interface coupled to the DSP (see Evans fig. 7, number 102) and to a speaker and a microphone (see Evans col. 2, lines 38-40).

As to claims 6, 25, the combination of Sadkowski and Evan discloses the wireless user terminal of claim 1 wherein said analog baseband comprises an RF interface coupled to the DSP and to the RF section (see Evans fig. 7, number 103).

As to claims 7, 26, the claim is rejected as the rejected claims 5 and 6.

As to claims 8, 27, the combination of Sadkowski and Evan inherently teaches the wireless user terminal of claim 1 wherein the RF section comprises a duplexer coupling a receiver and power amplifier to an antenna.

Art Unit: 2685

As to claims 9, 28, the combination of Sadkowski and Evan teaches the wireless user terminal of claim 8 wherein the RF section further comprises a modulator coupling the RF interface to a power amplifier (see Evans fig. 7, number 107).

As to claims 10, 29, the combination of Sadkowski and Evan teaches the wireless user terminal of claim 8 wherein the RF section further comprises a synthesizer coupled to the modulator and to the receiver (see Evans fig. 7, number 106).

As to claims 11, 30; the combination of Sadkowski and Evan teaches the wireless user terminal of claim 1 further including a user display (see Evans fig. 7, number 114) and a keyboard (see Evans fig. 7, number 115) coupled to the digital baseband.

As to claims 12, 31, the combination of Sadkowski and Evan teaches the wireless user terminal of claim 4 further including a user display and a keyboard coupled to the MCU (see Evans fig. 7, numbers 114, 115, 112).

As to claims 13, 32 the combination of Sadkowski and Evan inherently teaches the wireless user terminal of claim 6 wherein the analog-to-digital converter is located within the RF interface.

As to claim 14, the combination of Sadkowski and Evan inherently teaches the wireless user terminal of claim 6 wherein the analog-to-digital converter is located within the Audio interface.

As to claim 15, the combination of Sadkowski and Evan teaches the wireless user terminal of claim 1 wherein the clipping circuit comprises a first branch for clipping

Art Unit: 2685

an output signal at an upper boundary (see Sadkowski col. 4, line 25), and a second branch for clipping the output signal at a lower boundary (see Sadkowski col. 4, line 26).

As to claim 16, the combination of Sadkowski and Evan teaches the wireless user terminal claim 15 wherein the first branch comprises: a comparator having an output, a first input coupled to receive a first threshold voltage and a second input coupled to receive the input signal (see Sadkowski col. 4, lines 28-30); and a switch coupled to the output of the comparator, the output voltage of the comparator couples to the switch to open and close the switch (see Sadkowski col. 4, lines 30-34).

As to claim 17, the combination of Sadkowski and Evan teaches the wireless user terminal of claim 16 wherein the first input of the comparator is a negative input and the second input of the comparator is a positive input (see Sadkowski col. 4, lines 37-39).

As to claim 18, the combination of Sadkowski and Evan teaches the wireless user terminal of claim 15 wherein the second branch comprises: a comparator having an output, a first input coupled to receive a first threshold voltage and a second input coupled to receive the input signal (see Sadkowski col. 4, lines 49-52); and a switch coupled to the output of the comparator, the output voltage of the comparator couples to the switch to open and close the switch (see Sadkowski col. 4, lines 53-55).

As to claim 19, the combination of Sadkowski and Evan teaches the wireless user terminal of claim 18 wherein the first input of the comparator is a negative input and the second input of the comparator is a positive input (see Sadkowski col. 4, lines 58-60).

Art Unit: 2685

2. <u>Claims 33, 34 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims of U.S. Patent No. 6,424,280 in view of Evans et al (US 6,476,745) and in further view of Sadkowski et al (US 6,229,470).</u>

As to claims 33, 34, Sadkowski teaches a signal clipping circuit for switched capacitor sigma delta analog to digital converters comprises first input (see col. 4, line 20), a switch having a first lead coupled to an first input and a second lead coupled to an analog-to-digital converter (ADC) (see col. 4, line 20), a second input coupled to receive a first reference voltage (Upper boundary, see col. 4, line 25), a third input coupled to receive a second reference voltage (Lower boundary, see col. 4, line 26) and a signal clipping circuit having a first input coupled to the first input of the switch an output coupled to the second lead of the switch (see col. 4, lines 21-23). However, Sadkowski fails to teach a wireless user terminal having radio frequency (RF) communication capability, comprising: a digital baseband; an RF section; an analog baseband coupling the digital baseband to the RF section. Evans teaches teach a wireless user terminal having radio frequency (RF) communication capability, comprising: a digital baseband (see fig. 7, number 110); an RF section (see fig. 7, number 104); an analog baseband coupling the digital baseband and to the RF section (see fig. 7, number 101). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Evans into the device of Sadkowski in order to modulate the voice signal in wireless telephone application. The combination of Sadkowski and Evans fails to teach a second input

Art Unit: 2685

coupled to said analog-to-digital converter (ADC), the second input being further coupled to receive an input signal. Sadkowski teaches a second input coupled to said analog-to-digital converter (ADC), the second input being further coupled to receive an input signal (see fig. 2, number 24 inputs, col. 2, lines 42-48). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Sadkowski into the device of Sadkowski and Evans in order to provide additional input to analog-to-digital converter.

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Muza (US 6,084,467) teaches analog amplifier clipping circuit.

Gomes (US 4,877,981) teaches precision device for soft clipping AC and DC signals.

Song (US 5,689,204) teaches clipper circuit for clipping an upper or lower portion of unidirectional sinusoidal voltage signal.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nhan T Le whose telephone number is 703-305-4538. The examiner can normally be reached on 08:00-05:00 (Mon-Fri).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban can be reached on 703-305-4385. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2685

Page 9

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nhan Le

EDWARD F. URBAN
C CORY PATENT EXAMINER
LUMNOLOGY CENTER 2600